


SAFETY DATA SHEET		
<b>AquaGro L with PsiMatric Technology</b>		
Revision: 1.02 US	Issuing date: 05.06.15	

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

Trade name : AquaGro L with PsiMatric Technology

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

no data available

**1.3 Details of the supplier of the safety data sheet**

Company : Aquatrols Corporation of America  
1273 Imperial Way  
Paulsboro, NJ 08066  
Telephone number: 800-257-7797

**1.4 Emergency telephone**

FOR EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT CONTACT: CHEMTREC 800-424-9300 within the United States and Canada, or 703-527-3887 for international collect calls.

**SECTION 2: Hazards identification**

Although OSHA has not adopted the environmental portion of the GHS regulations, this document may include information on environmental effects.

**2.1 Classification of the substance or mixture**

**HCS 2012 (29 CFR 1910.1200)**

Not a hazardous product according to Globally Harmonized System (GHS)

**2.2 Label elements**

**HCS 2012 (29 CFR 1910.1200)**

Not a hazardous product according to Globally Harmonized System (GHS)


**2.3 Other hazards which do not result in classification**

Slightly irritating to eyes and skin.

**SECTION 3: Composition/information on ingredients**

**3.1 Substance**

Not applicable, this product is a mixture.

SAFETY DATA SHEET		
<b>AquaGro L with PsiMatric Technology</b>		
Revision: 1.02 US	Issuing date: 05.06.15	

### **3.2 Mixture**

Chemical nature : Ethylene oxide / propylene oxide block co-polymer

### **Hazardous Ingredients and Impurities**

No ingredients are hazardous.


### **Non Hazardous Ingredients and Impurities**

Chemical Name	Identification number CAS-No.	Concentration [%]
Ethoxylated Polyoxypropylene	9003-11-6	> 99.5
Water	7732-18-5	< 0.5

## **SECTION 4: First aid measures**

### **4.1 Description of first-aid measures**

- General advice : Show this material safety data sheet to the doctor in attendance.  
First responder needs to protect himself.  
Place affected apparel in a sealed bag for subsequent decontamination.
- If inhaled : Negligible or unlikely exposure pathways  
If inhaled, remove to fresh air.  
Consult a physician if necessary.
- Skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention if irritation develops and persists.  
Wash contaminated clothing before re-use.
- Eye contact : Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.
- Ingestion : Do not induce vomiting without medical advice.  
If victim is conscious:  
Rinse with water.  
Keep at rest.  
Do not give anything to drink.  
Do not leave the victim unattended.  
Vomiting may occur spontaneously  
Risk of product entering the lungs on vomiting after ingestion.  
Lay victim on side.  
Seek medical advice.

SAFETY DATA SHEET		
<b>AquaGro L with PsiMatric Technology</b>		
Revision: 1.02 US	Issuing date: 05.06.15	

**4.2 Most important symptoms and effects, both acute and delayed**

Risks : Skin contact may aggravate existing skin disease  
 Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema or bronchitis

**4.3 Indication of any immediate medical attention and special treatment needed**

Notes to physician : All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Treat symptomatically.  
 There is no specific antidote available.

**SECTION 5: Firefighting measures**

Flash point : > 200 °F (> 93 °C)  
 Pensky-Martens closed cup  
 Flammability class: Will burn

Autoignition temperature : no data available

Flammability / Explosive limit : no data available

**5.1 Extinguishing media**

Suitable extinguishing media : Extinguishing media - small fires  
 Dry chemical  
 Carbon dioxide (CO2)

Extinguishing media - large fires  
 Foam  
 Water spray

Unsuitable extinguishing media : High volume water jet  
 (frothing possible)


**5.2 Special hazards arising from the substance or mixture**

Specific hazards during fire fighting : Under fire conditions:  
 Will burn  
 Hazardous decomposition products formed under fire conditions.  
 On combustion or on thermal decomposition (pyrolysis), releases:

**5.3 Advice for firefighters**

Special protective equipment for fire-fighters : Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing.

Further information :

SAFETY DATA SHEET		
<b>AquaGro L with PsiMatric Technology</b>		
Revision: 1.02 US	Issuing date: 05.06.15	

Standard procedure for chemical fires.  
 Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
 Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## SECTION 6: Accidental release measures

### **6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions, protective equipment and emergency procedures : Wear suitable protective equipment.  
 For further information refer to section 8 "Exposure controls / personal protection."

### **6.2 Environmental precautions**

Environmental precautions : Do not flush into surface water or sanitary sewer system.  
 Take all necessary measures to avoid accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems.  
 Spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies

### **6.3 Methods and materials for containment and cleaning up**

Methods for containment : Stop leak if safe to do so.  
 Dam up with sand or inert earth (do not use combustible materials).


Recovery : Soak up with inert absorbent material.  
 Shovel or sweep up.  
 Keep in suitable, closed containers for disposal.  
 Never return spills in original containers for re-use.

Decontamination / cleaning : Clean contaminated surface thoroughly.  
 Wash nonrecoverable remainder with large amounts of water.  
 Recover the cleaning water for subsequent disposal.  
 Decontaminate tools, equipment and personal protective equipment in a segregated area.

Disposal : Dispose of in accordance with local regulations.

### **6.4 Reference to other sections**

Reference to other sections : 7. HANDLING AND STORAGE  
 8. EXPOSURE CONTROLS/PERSONAL PROTECTION  
 13. DISPOSAL CONSIDERATIONS

SAFETY DATA SHEET		
<b>AquaGro L with PsiMatric Technology</b>		
Revision: 1.02 US	Issuing date: 05.06.15	

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling**

- Technical measures : Ethylene oxide may collect in container head space.  
Provide adequate ventilation.
- Advice on safe handling and usage : Avoid inhalation of vapor or mist.  
Avoid contact with skin and eyes.
- Hygiene measures : Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this materials:
  - 1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.
  - 2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.
  - 3) Wash exposed skin promptly to remove accidental splashes or contact with material.

**7.2 Conditions for safe storage, including any incompatibilities**

**Storage conditions**


- Recommended : Keep container tightly closed in a dry and well-ventilated place.
- To be avoided : Keep away from open flames, hot surfaces and sources of ignition.  
Keep away from incompatible materials to be indicated by the manufacturer

**Storage stability**

- Storage temperature : no data available

**7.3 Specific end use(s)**

no data available

SAFETY DATA SHEET		
<b>AquaGro L with PsiMatric Technology</b>		
Revision: 1.02 US	Issuing date: 05.06.15	

## SECTION 8: Exposure controls/personal protection

Introductory Remarks: These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Assistance with selection, use and maintenance of worker protection equipment is generally available from equipment manufacturers.

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

#### Control measures

Engineering measures : Where engineering controls are indicated by use conditions or a potential for excessive exposure exists, the following traditional exposure control techniques may be used to effectively minimize employee exposures :

Effective exhaust ventilation system

#### Personal protective equipment


Respiratory protection : When respirators are required, select NIOSH/MSHA approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industrial recommendations.

Hand protection : Recommended preventive skin protection  
Gloves  
Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Eye protection : Eye and face protection requirements will vary dependent upon work environment conditions and material handling practices. Appropriate ANSI Z87 approved equipment should be selected for the particular use intended for this material.  
  
Eye contact should be prevented through the use of:  
  
Safety glasses with side-shields

Skin and body protection : Recommended preventive skin protection  
Footwear protecting against chemicals  
impervious clothing  
  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this materials:  
1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.

SAFETY DATA SHEET		
<b>AquaGro L with PsiMatric Technology</b>		
Revision: 1.02 US	Issuing date: 05.06.15	

- 2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.
- 3) Wash exposed skin promptly to remove accidental splashes or contact with material.

Protective measures : Ensure that eyewash stations and safety showers are close to the workstation location.  
 Emergency equipment immediately accessible, with instructions for use.  
 Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the potential hazards, and/or risks that may occur during use.

The protective equipment must be selected in accordance with current local standards and in cooperation with the supplier of the protective equipment.

---

## SECTION 9: Physical and chemical properties

Physical and Chemical properties here represent typical properties of this product. Contact the business area using the Product information phone number in Section 1 for its exact specifications.

### 9.1 Information on basic physical and chemical properties

Appearance	: Physical state: liquid Color: cloudy
Odor	: slight
Odor Threshold	: no data available
pH	: 4.0 - 7.0 ( 5 % (m/v))
Freezing point	: < 68 °F (20 °C)
Flash point	: > 200 °F (> 93 °C) Pensky-Martens closed cup Flammability class: Will burn
Evaporation rate (Butylacetate = 1)	: no data available
Flammability (solid, gas)	: no data available
Flammability (liquids)	: no data available
Flammability / Explosive limit	: no data available
Autoignition temperature	: no data available
Vapor pressure	: no data available
Vapor density	: no data available

## SAFETY DATA SHEET

**AquaGro L with PsiMatric Technology**

Revision: 1.02 US

Issuing date: 05.06.15

Density : Relative density : &gt; 1 ( 73 °F (23 °C))

Solubility : Water solubility :  
dispersible

Partition coefficient: n-octanol/water : no data available

Thermal decomposition : no data available

Viscosity : no data available

Explosive properties : no data available

Oxidizing properties : no data available

**9.2 Other information**

Molecular weight : 2,500 - 2,900 g/mol

Volatiles by Volume : &lt; 1 %

Non Volatiles by Weight : &gt; 99 %

**SECTION 10: Stability and reactivity****10.1 Reactivity**

no data available

**10.2 Chemical stability**


Chemical stability : Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions**

Polymerization : Hazardous polymerization does not occur.

**10.4 Conditions to avoid**Conditions to avoid : Keep away from heat and sources of ignition.  
Keep away from flames and sparks.**10.5 Incompatible materials**Materials to avoid : Strong bases  
Strong oxidizing agents



SAFETY DATA SHEET		
<b>AquaGro L with PsiMatric Technology</b>		
Revision: 1.02 US	Issuing date: 05.06.15	

**10.6 Hazardous decomposition products**

Decomposition products : Carbon oxides

**SECTION 11: Toxicological information**

**11.1 Information on toxicological effects**

**Acute toxicity**

Acute oral toxicity : LD50 : 5,500 mg/kg - Rat  
By analogy

Acute inhalation toxicity : no data available

Acute dermal toxicity : no data available

Acute toxicity (other routes of administration) : no data available

**Skin corrosion/irritation**

Skin irritation : Rabbit  
slight irritation  
By analogy

**Serious eye damage/eye irritation**

Eye irritation : Rabbit  
slight irritation  
By analogy

**Respiratory or skin sensitization**

Sensitization : no data available

**Mutagenicity**

Genotoxicity in vitro : no data available


Genotoxicity in vivo : no data available

**Carcinogenicity**

Carcinogenicity : no data available

This product does not contain any ingredient designated as probable or suspected human carcinogens by:

- NTP
- IARC
- OSHA
- ACGIH

SAFETY DATA SHEET		
<b>AquaGro L with PsiMatric Technology</b>		
Revision: 1.02 US	Issuing date: 05.06.15	

**Toxicity for reproduction and development**

Toxicity to reproduction / fertility : no data available  
 Developmental Toxicity/Teratogenicity : no data available

**STOT**

STOT-single exposure : no data available  
 STOT-repeated exposure : no data available

**Aspiration toxicity**

Aspiration toxicity : no data available

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Ecotoxicity assessment**

Acute aquatic toxicity : According to the data on the components  
 The product does not have any known adverse effects on the aquatic organisms tested  
 According to the classification criteria for mixtures.

Chronic aquatic toxicity : According to the data on the components  
 Does not have any known long term adverse effects on the aquatic organisms tested  
 According to the classification criteria for mixtures.

**12.2 Persistence and degradability**

no data available

**12.3 Bioaccumulative potential**

no data available

**12.4 Mobility in soil**


no data available

**12.5 Results of PBT and vPvB assessment**

no data available

**12.6 Other adverse effects**

no data available

SAFETY DATA SHEET		
<b>AquaGro L with PsiMatric Technology</b>		
Revision: 1.02 US	Issuing date: 05.06.15	

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

**Product Disposal**

Advice on Disposal : Chemical additions, processing or otherwise altering this material may make the waste management information presented in this MSDS incomplete, inaccurate or otherwise inappropriate. Please be advised that state and local requirements for waste disposal may be more restrictive or otherwise different from federal laws and regulations. Consult state and local regulations regarding the proper disposal of this material.

Waste Code : EPA:  
Hazardous Waste – NO

**Advice on cleaning and disposal of packaging**

Advice on Disposal : Rinse with an appropriate solvent.  
Dispose of contents/container in accordance with local regulation.

**SECTION 14: Transport information**


**DOT**  
not regulated

**TDG**  
not regulated

**IMDG**  
not regulated

**IATA**  
not regulated

Note: The above regulatory prescriptions are those valid on the date of publication of this sheet. Given the possible evolution of transportation regulations for hazardous materials, it would be advisable to check their validity with your sales office.

SAFETY DATA SHEET		
<b>AquaGro L with PsiMatric Technology</b>		
Revision: 1.02 US	Issuing date: 05.06.15	

**SECTION 15: Regulatory information**

**15.1 Notification status**


- United States TSCA Inventory : YES (positive listing)  
On TSCA Inventory
- Canadian Domestic Substances List (DSL) : YES (positive listing)  
All components of this product are on the Canadian DSL.
- Australia Inventory of Chemical Substances (AICS) : YES (positive listing)  
On the inventory, or in compliance with the inventory
- Japan. CSCL - Inventory of Existing and New Chemical Substances : YES (positive listing)  
On the inventory, or in compliance with the inventory
- Korea. Korean Existing Chemicals Inventory (KECI) : YES (positive listing)  
On the inventory, or in compliance with the inventory
- China. Inventory of Existing Chemical Substances in China (IECSC) : YES (positive listing)  
On the inventory, or in compliance with the inventory

**15.2 Federal Regulations**

**SARA 311/312 Hazards**

Fire Hazard	no
Reactivity Hazard	no
Sudden Release of Pressure Hazard	no
Acute Health Hazard	no
Chronic Health Hazard	no

- SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
- SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SAFETY DATA SHEET		
<b>AquaGro L with PsiMatric Technology</b>		
Revision: 1.02 US	Issuing date: 05.06.15	

**EPCRA - Emergency Planning and Community Right-to-Know**

**CERCLA Reportable Quantity**

Ingredients	CAS-No.	Reportable quantity
Ethylene Oxide	75-21-8	10 lb
1,4-Dioxane	123-91-1	100 lb
Propylene Oxide	75-56-9	100 lb

**SARA 304 Reportable Quantity**

Ingredients	CAS-No.	Reportable quantity
Ethylene Oxide	75-21-8	10 lb
Propylene Oxide	75-56-9	100 lb

**SARA 302 Reportable Quantity**

Ingredients	CAS-No.	Reportable quantity
Ethylene Oxide	75-21-8	10 lb
Propylene Oxide	75-56-9	100 lb

**15.3 State Regulations**

**California Prop 65**

: WARNING! This product contains a chemical known in the State of California to cause cancer.  
 1,4-Dioxane  
 Ethylene Oxide  
 Propylene Oxide

WARNING: This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.  
 Ethylene Oxide

No Significant Risk Levels (NSRLs) have been established for the following:  
 1,4-Dioxane  
 Value : 30 micrograms per day

Ethylene Oxide  
 Value : 2 micrograms per day


**SECTION 16: Other information**

**NFPA (National Fire Protection Association) - Classification**

Health : 1 slight  
 Flammability : 1 slight  
 Instability or Reactivity : 0 minimal

**HMIS (Hazardous Materials Identification System (Paint & Coating)) - Classification**

Health : 1 slight  
 Flammability : 1 slight  
 Reactivity : 0 minimal

SAFETY DATA SHEET		
<b>AquaGro L with PsiMatric Technology</b>		
Revision: 1.02 US	Issuing date: 05.06.15	

**Further information**

Further information : This sheet was updated (refer to the date at the top of this page). Subheadings and text which have been modified since the previous version are indicated with two vertical bars.

Product classified under the US GHS format.

**Key or legend to abbreviations and acronyms used in the safety data sheet**

- ACGIH : American Conference of Governmental Industrial Hygienists
- OSHA : Occupational Safety and Health Administration
- WHMIS : Workplace Hazardous Materials Information System
- NTP : National Toxicology Program
- IARC : International Agency for Research on Cancer
- SAEL : Solvay Acceptable Exposure Limit
- NIOSH : National Institute for Occupational Safety and Health
- NFPA : National Fire Protection Association
- HMIS : Hazardous Materials Identification System (Paint & Coating)

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. Such information is only given as a guidance to help the user handle, use, process, store, transport, dispose, and release the product in satisfactory safety conditions and is not to be considered as a warranty or quality specification. It should be used in conjunction with technical sheets but do not replace them. Thus, the information only relates to the designated specific product and may not be applicable if such product is used in combination with other materials or in another manufacturing process, unless otherwise specifically indicated. It does not release the user from ensuring he is in conformity with all regulations linked to its activity.