## AquaGro L with PsiMatric Technology



Revision: 1.02 US Issuing date: 05.06.15

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : AquaGro L with PsiMatric Technology

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

no data available

## 1.3 Details of the supplier of the safety data sheet

Company : Aquatrols Corporation of America

1273 Imperial Way Paulsboro, NJ 08066

Telephone number: 800-257-7797

#### 1.4 Emergency telephone

FOR EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT CONTACT: CHEMTREC 800-424-9300 within the United States and Canada, or 703-527-3887 for international collect calls.

#### **SECTION 2: Hazards identification**

Although OSHA has not adopted the environmental portion of the GHS regulations, this document may include information on environmental effects.

#### 2.1 Classification of the substance or mixture

### HCS 2012 (29 CFR 1910.1200)

Not a hazardous product according to Globally Harmonized System (GHS)

### 2.2 Label elements

#### HCS 2012 (29 CFR 1910.1200)

Not a hazardous product according to Globally Harmonized System (GHS)

#### 2.3 Other hazards which do not result in classification

Slightly irritating to eyes and skin.

#### **SECTION 3: Composition/information on ingredients**

### 3.1 Substance

Not applicable, this product is a mixture.

## AquaGro L with PsiMatric Technology



Revision: 1.02 US Issuing date: 05.06.15

3.2 Mixture

Chemical nature : Ethylene oxide / propylene oxide block co-polymer

#### **Hazardous Ingredients and Impurities**

No ingredients are hazardous.

## Non Hazardous Ingredients and Impurities

Chemical Name	Identification number CAS-No.	Concentration [%]
Ethoxylated Polyoxypropylene	9003-11-6	> 99.5
Water	7732-18-5	< 0.5

#### **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

General advice : Show this material safety data sheet to the doctor in attendance.

First responder needs to protect himself.

Place affected apparel in a sealed bag for subsequent decontamination.

If inhaled : Negligible or unlikely exposure pathways

If inhaled, remove to fresh air. Consult a physician if necessary.

Skin contact : In case of contact, immediately flush skin with plenty of water for at least 15

minutes while removing contaminated clothing and shoes. Get medical attention if irritation develops and persists.

Wash contaminated clothing before re-use.

Eye contact : Flush eyes with water at least 15 minutes. Get medical attention if eye

irritation develops or persists.

Ingestion : Do not induce vomiting without medical advice.

If victim is conscious: Rinse with water. Keep at rest.

Do not give anything to drink.
Do not leave the victim unattended.
Vomiting may occur spontaneously

Risk of product entering the lungs on vomiting after ingestion.

Lay victim on side. Seek medical advice.

## AquaGro L with PsiMatric Technology



Revision: 1.02 US Issuing date: 05.06.15

#### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Skin contact may aggravate existing skin disease

Inhalation of product may aggravate existing chronic respiratory problems

such as asthma, emphysema or bronchitis

## 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : All treatments should be based on observed signs and symptoms of distress

in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Treat symptomatically.

There is no specific antidote available.

#### **SECTION 5: Firefighting measures**

Flash point :  $> 200 \, ^{\circ}\text{F} \, (> 93 \, ^{\circ}\text{C})$ 

Pensky-Martens closed cup Flammability class: Will burn

Autoignition temperature : no data available

Flammability / Explosive limit : no data available

## 5.1 Extinguishing media

Suitable extinguishing media : Extinguishing media - small fires

Dry chemical

Carbon dioxide (CO2)

Extinguishing media - large fires

Foam Water spray

Unsuitable extinguishing media : High volume water jet

(frothing possible)

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting : Under fire conditions:

Will burn

Hazardous decomposition products formed under fire conditions. On combustion or on thermal decomposition (pyrolysis), releases:

## 5.3 Advice for firefighters

Special protective equipment for fire-fighters : Firefighters should wear NIOSH/MSHA approved self-contained breathing

apparatus and full protective clothing.

Further information :

# AquaGro L with PsiMatric Technology



Revision: 1.02 US Issuing date: 05.06.15

Standard procedure for chemical fires.

Collect contaminated fire extinguishing water separately. This must not be

discharged into drains.

Fire residues and contaminated fire extinguishing water must be disposed of

in accordance with local regulations.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions, protective equipment

and emergency procedures

Wear suitable protective equipment.

For further information refer to section 8 "Exposure controls / personal

protection."

#### **6.2 Environmental precautions**

Environmental precautions : Do not flush into surface water or sanitary sewer system.

Take all necessary measures to avoid accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems. Spills may be reportable to the National Response Center (800-424-8802) and

to state and/or local agencies

## 6.3 Methods and materials for containment and cleaning up

Methods for containment : Stop leak if safe to do so.

Dam up with sand or inert earth (do not use combustible materials).

Recovery : Soak up with inert absorbent material.

Shovel or sweep up.

Keep in suitable, closed containers for disposal. Never return spills in original containers for re-use.

Decontamination / cleaning : Clean contaminated surface thoroughly.

Wash nonrecoverable remainder with large amounts of water.

Recover the cleaning water for subsequent disposal.

Decontaminate tools, equipment and personal protective equipment in a

segregated area.

Disposal : Dispose of in accordance with local regulations.

### 6.4 Reference to other sections

Reference to other sections : 7. HANDLING AND STORAGE

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

13. DISPOSAL CONSIDERATIONS

## AquaGro L with PsiMatric Technology



Revision: 1.02 US Issuing date: 05.06.15

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Technical measures : Ethylene oxide may collect in container head space.

Provide adequate ventilation.

Advice on safe handling and usage : Avoid inhalation of vapor or mist.

Avoid contact with skin and eyes.

Hygiene measures : Personal hygiene is an important work practice exposure control measure and

the following general measures should be taken when working with or

handling this materials:

1) Do not store, use, and/or consume foods, beverages, tobacco products, or

cosmetics in areas where this material is stored.

2) Wash hands and face carefully before eating, drinking, using tobacco,

applying cosmetics, or using the toilet.

3) Wash exposed skin promptly to remove accidental splashes or contact with

material.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Recommended : Keep container tightly closed in a dry and well-ventilated place.

To be avoided : Keep away from open flames, hot surfaces and sources of ignition.

Keep away from incompatible materials to be indicated by the manufacturer

Storage stability

Storage temperature : no data available

#### 7.3 Specific end use(s)

no data available

## AquaGro L with PsiMatric Technology



Revision: 1.02 US Issuing date: 05.06.15

#### **SECTION 8: Exposure controls/personal protection**

Introductory Remarks: These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Assistance with selection, use and maintenance of worker protection equipment is generally available from equipment manufacturers.

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### **8.2 Exposure controls**

#### **Control measures**

Engineering measures : Where engineering controls are indicated by use conditions or a potential for

excessive exposure exists, the following traditional exposure control techniques may be used to effectively minimize employee exposures:

Effective exhaust ventilation system

#### Personal protective equipment

Respiratory protection : When respirators are required, select NIOSH/MSHA approved equipment

based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industrial recommendations.

Hand protection : Recommended preventive skin protection

Gloves

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the

danger of cuts, abrasion, and the contact time.

Eye protection : Eye and face protection requirements will vary dependent upon work

environment conditions and material handling practices. Appropriate ANSI Z87 approved equipment should be selected for the particular use intended

for this material.

Eye contact should be prevented through the use of:

Safety glasses with side-shields

Skin and body protection : Recommended preventive skin protection

Footwear protecting against chemicals

impervious clothing

Choose body protection according to the amount and concentration of the

dangerous substance at the work place.

Hygiene measures : Personal hygiene is an important work practice exposure control measure and

the following general measures should be taken when working with or

handling this materials:

1) Do not store, use, and/or consume foods, beverages, tobacco products, or

cosmetics in areas where this material is stored.

6/14

## AquaGro L with PsiMatric Technology



Revision: 1.02 US Issuing date: 05.06.15

2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.

3) Wash exposed skin promptly to remove accidental splashes or contact with

material.

Protective measures : Ensure that eyewash stations and safety showers are close to the workstation

location.

Emergency equipment immediately accessible, with instructions for use. Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the potential hazards, and/or risks that may occur during use.

The protective equipment must be selected in accordance with current local standards and in cooperation with the supplier of the protective equipment.

#### **SECTION 9: Physical and chemical properties**

Physical and Chemical properties here represent typical properties of this product. Contact the business area using the Product information phone number in Section 1 for its exact specifications.

## 9.1 Information on basic physical and chemical properties

Appearance : Physical state: liquid

Color: cloudy

Odor : slight

Odor Threshold : no data available

pH : 4.0 - 7.0 ( 5 % (m/v))

Freezing point : < 68 °F (20 °C)

Flash point : > 200 °F (> 93 °C) Pensky-Martens closed cup

Flammability class: Will burn

Evaporation rate (Butylacetate = 1) : no data available

Flammability (solid, gas) : no data available

Flammability (liquids) : no data available

Flammability / Explosive limit : no data available

Autoignition temperature : no data available

Vapor pressure : no data available

Vapor density : no data available

# AquaGro L with PsiMatric Technology



Revision: 1.02 US Issuing date: 05.06.15

Density : Relative density : > 1 (  $73 \,^{\circ}\text{F} \, (23 \,^{\circ}\text{C})$ )

Solubility : <u>Water solubility :</u>

dispersible

Partition coefficient: n-octanol/water : no data available

Thermal decomposition : no data available

Viscosity : no data available

Explosive properties : no data available

Oxidizing properties : no data available

9.2 Other information

Molecular weight : 2,500 - 2,900 g/mol

Volatiles by Volume : <1 %

Non Volatiles by Weight : > 99 %

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

no data available

## 10.2 Chemical stability

Chemical stability : Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Polymerization : Hazardous polymerization does not occur.

10.4 Conditions to avoid

Conditions to avoid : Keep away from heat and sources of ignition.

Keep away from flames and sparks.

10.5 Incompatible materials

Materials to avoid : Strong bases

Strong oxidizing agents

# AquaGro L with PsiMatric Technology



Revision: 1.02 US Issuing date: 05.06.15

10.6 Hazardous decomposition products

Decomposition products : Carbon oxides

**SECTION 11: Toxicological information** 

11.1 Information on toxicological effects

**Acute toxicity** 

Acute oral toxicity : LD50 : 5,500 mg/kg - Rat

By analogy

Acute inhalation toxicity : no data available

Acute dermal toxicity : no data available

Acute toxicity (other routes of administration) : no data available

Skin corrosion/irritation

Skin irritation : Rabbit

slight irritation By analogy

Serious eye damage/eye irritation

Eye irritation : Rabbit

slight irritation By analogy

Respiratory or skin sensitization

Sensitization : no data available

Mutagenicity

Genotoxicity in vitro : no data available

Genotoxicity in vivo : no data available

Carcinogenicity

Carcinogenicity : no data available

This product does not contain any ingredient designated as probable or suspected human carcinogens by:

NTP

**IARC** 

**OSHA** 

**ACGIH** 

## AquaGro L with PsiMatric Technology



Revision: 1.02 US Issuing date: 05.06.15

Toxicity for reproduction and development

Toxicity to reproduction / fertility : no data available

Developmental Toxicity/Teratogenicity : no data available

STOT

STOT-single exposure : no data available

STOT-repeated exposure : no data available

**Aspiration toxicity** 

Aspiration toxicity : no data available

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

**Ecotoxicity assessment** 

Acute aquatic toxicity : According to the data on the components

The product does not have any known adverse effects on the aquatic

organisms tested

According to the classification criteria for mixtures.

Chronic aquatic toxicity : According to the data on the components

Does not have any known long term adverse effects on the aquatic organisms

tested

According to the classification criteria for mixtures.

#### 12.2 Persistence and degradability

no data available

#### 12.3 Bioaccumulative potential

no data available

#### 12.4 Mobility in soil

no data available

#### 12.5 Results of PBT and vPvB assessment

no data available

#### 12.6 Other adverse effects

no data available

## AquaGro L with PsiMatric Technology



Revision: 1.02 US Issuing date: 05.06.15

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product Disposal**

Advice on Disposal : Chemical additions, processing or otherwise altering this material may make

the waste management information presented in this MSDS incomplete, inaccurate or otherwise inappropriate. Please be advised that state and local requirements for waste disposal may be more restrictive or otherwise different

from federal laws and regulations. Consult state and local regulations

regarding the proper disposal of this material.

Waste Code : EPA

Hazardous Waste - NO

#### Advice on cleaning and disposal of packaging

Advice on Disposal : Rinse with an appropriate solvent.

Dispose of contents/container in accordance with local regulation.

#### **SECTION 14: Transport information**

#### DOT

not regulated

#### **TDG**

not regulated

#### **IMDG**

not regulated

#### IATA

not regulated

Note: The above regulatory prescriptions are those valid on the date of publication of this sheet. Given the possible evolution of transportation regulations for hazardous materials, it would be advisable to check their validity with your sales office.

## AquaGro L with PsiMatric Technology



Revision: 1.02 US Issuing date: 05.06.15

#### **SECTION 15: Regulatory information**

#### 15.1 Notification status

United States TSCA Inventory : YES (positive listing)
On TSCA Inventory

Canadian Domestic Substances List (DSL) : YES (positive listing)

All components of this product are on the

Canadian DSL.

Australia Inventory of Chemical Substances (AICS) : YES (positive listing)

On the inventory, or in compliance with the

inventory

Japan. CSCL - Inventory of Existing and New Chemical Substances : YES (positive listing)

On the inventory, or in compliance with the

inventory

Korea. Korean Existing Chemicals Inventory (KECI) : YES (positive listing)

On the inventory, or in compliance with the

inventory

China. Inventory of Existing Chemical Substances in China (IECSC) : YES (positive listing)

On the inventory, or in compliance with the

inventory

## 15.2 Federal Regulations

#### SARA 311/312 Hazards

Fire Hazard	no
Reactivity Hazard	no
Sudden Release of Pressure Hazard	no
Acute Health Hazard	no
Chronic Health Hazard	no

SARA 313 : This material does not contain any chemical components with known CAS

numbers that exceed the threshold (De Minimis) reporting levels established

by SARA Title III, Section 313.

SARA 302 : No chemicals in this material are subject to the reporting requirements of

SARA Title III, Section 302.

## AquaGro L with PsiMatric Technology



Revision: 1.02 US Issuing date: 05.06.15

### **EPCRA - Emergency Planning and Community Right-to-Know**

**CERCLA Reportable Quantity** 

Ingredients	CAS-No.	Reportable quantity
Ethylene Oxide	75-21-8	10 lb
1,4-Dioxane	123-91-1	100 lb
Propylene Oxide	75-56-9	100 lb

**SARA 304 Reportable Quantity** 

Ingredients	CAS-No.	Reportable quantity
Ethylene Oxide	75-21-8	10 lb
Propylene Oxide	75-56-9	100 lb

**SARA 302 Reportable Quantity** 

Ingredients	CAS-No.	Reportable quantity
Ethylene Oxide	75-21-8	10 lb
Propylene Oxide	75-56-9	100 lb

#### 15.3 State Regulations

California Prop 65 : WARNING! This product contains a chemical known in the State of California

to cause cancer. 1,4-Dioxane Ethylene Oxide Propylene Oxide

WARNING: This product contains a chemical known in the State of California

to cause birth defects or other reproductive harm.

Ethylene Oxide

No Significant Risk Levels (NSRLs) have been established for the following:

1,4-Dioxane

Value: 30 micrograms per day

Ethylene Oxide

Value: 2 micrograms per day

#### **SECTION 16: Other information**

## NFPA (National Fire Protection Association) - Classification

Health : 1 slight
Flammability : 1 slight
Instability or Reactivity : 0 minimal

HMIS (Hazardous Materials Identification System (Paint & Coating)) - Classification

Health : 1 slight Flammability : 1 slight Reactivity : 0 minimal

## AquaGro L with PsiMatric Technology



Revision: 1.02 US Issuing date: 05.06.15

**Further information** 

Further information : This sheet was updated (refer to the date at the top of this page).

Subheadings and text which have been modified since the previous version

are indicated with two vertical bars.

Product classified under the US GHS format.

## Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH : American Conference of Governmental Industrial Hygienists

OSHA : Occupational Safety and Health Administration
WHMIS : Workplace Hazardous Materials Information System

NTP : National Toxicology Program

IARC : International Agency for Research on Cancer

SAEL : Solvay Acceptable Exposure Limit

NIOSH : National Institute for Occupational Safety and Health

NFPA : National Fire Protection Association

HMIS : Hazardous Materials Identification System (Paint & Coating)

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. Such information is only given as a guidance to help the user handle, use, process, store, transport, dispose, and release the product in satisfactory safety conditions and is not to be considered as a warranty or quality specification. It should be used in conjunction with technical sheets but do not replace them. Thus, the information only relates to the designated specific product and may not be applicable if such product is used in combination with other materials or in another manufacturing process, unless otherwise specifically indicated. It does not release the user from ensuring he is in conformity with all regulations linked to its activity.