



CAPSIL

SPRAY ADJUVANT

Nonionic Surfactant



HIGHLY EFFECTIVE NON-IONIC SPRAY ADJUVANT

Principal Functioning Agents:100%
Polyether
Polyether-polymethylsiloxane-copolymer
Constituents Ineffective as Spray Adjuvants:0%
Total:100%

NOT RECOMMENDED FOR USE AS A FERTILIZER SUBSTITUTE

All ingredients are exempt from the requirements of a tolerance as specified in 40 CFR 180.1001(c)

NOT A PLANT FOOD INGREDIENT.

**HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
NOT FOR AQUATIC USE.**

CAUTION KEEP OUT OF REACH OF CHILDREN

Read entire label for additional precautionary statements. For professional or industrial use only.

For chemical emergency spill, leak, fire, exposure or accident, call CHEMTEL day or night. Domestic North America 800-255-3924. International call 813-248-0585 (collect calls accepted).

California Registration#: 9037-50003

4/5/19

Directions for Use

WHAT IT DOES:

CapSil is a highly effective nonionic spray adjuvant.

WHERE TO USE:

CapSil may be used on forestry, turf, ornamental, industrial, structural and non-cropland sites.

APPLICATION RATES AND FREQUENCY OPTIONS:

Pesticide manufacturers may recommend a specific concentration or rate of a specific nonionic surfactant to be used with their product. Follow the pesticide or active ingredient label recommendations on use of surfactant. However, if no such recommendation is on the label, and if the label does not specifically prohibit a surfactant addition to the spray tank, CapSil may be trialed at the following concentrations and rates.

As an adjuvant with herbicides and/or micronutrients:

Apply CapSil at a concentration of 6-16 fl oz per 100 gallons of spray solution.

As an adjuvant with insecticides/miticides, fungicides and/or use with foliar feed:

Apply CapSil to water-soluble fertilizers at the rate of 6-12 fl oz per 100 gallons of mix.

Cuttings: For use of CapSil on cuttings, such as poinsettia: spray leaf surfaces to run-off or dip cuttings using a solution concentrate of 300 to 600 ppm or about 4 fl oz to 8 fl oz per 100 gallons (approximately ¼ to ½ teaspoon per gallon).

TANK MIXING:

1. Fill tank 2/3 to 3/4 full of water. If foaming is anticipated, add an anti-foaming agent before adding pesticides and/or CapSil. A "jar test" should be done before tank mixing.
2. Add pesticide as directed by pesticide label.
3. Continue Agitation.
4. Add CapSil and continue filling tank while maintaining agitation.
5. For more detailed information call 1-800-257-7797.

Condition of Sale

Limited Warranty and Limitations of Liability and Remedies

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If the terms are not acceptable, do not use the product and instead, return the unopened product container immediately. By using this product, you accept the following Conditions, Disclaimer of Warranties and Limitation of Liability.

For technical information, contact Aquatrols Corporation at 800-257-7797. Information regarding the contents and levels of metals in this product is available on the internet at www.aapfco.org/metals.html

CONDITIONS: The directions for use on this label are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Insufficient performance or injury to the crop to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions, the failure to follow the label directions or good application practices, all of which are beyond the control of Aquatrols Corporation. In addition, failure to follow label directions may cause poor performance, injury to crop, animals, human, or the environment. You assumed all such risks by using this product.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, AQUATROLS CORPORATION MAKES NO OTHER WARRANTIES OR REPRESENTATIONS OF ANY KIND, EXPRESSED OR IMPLIED, CONCERNING THE PRODUCT, INCLUDING NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL AND NO SUCH WARRANTY SHALL BE IMPLIED BY LAW. No agent of Aquatrols Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, Aquatrols Corporation disclaims and any and all claims are waived any liability whatsoever for special, incidental or consequential damages or expense of any nature, including, but not limited to, loss of profit or income, resulting from the use or handling of this product.

LIMITATION OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, the remedy for any losses or cause of action relating to injuries, damages or the handling or use of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid or, at Aquatrols Corporation's election, the replacement of the product. Aquatrols shall not be liable and any and all claims against Aquatrols are waived for special, indirect, incidental or consequential damages or expense of any nature, including, but not limited to, loss of profit or income.



 **HIGHLY EFFECTIVE NONIONIC SURFACTANT**

Precautionary Statements/First Aid Measures in Case of Contact

Precautionary Statements

- Harmful if swallowed, inhaled, or contact is made with the skin or eyes. may cause irritation to eyes, skin, lungs or stomach.
- Avoid contact with skin, eyes and clothing.
- Avoid breathing vapor or spray mist.
- avoid using product in a manner as to directly, or through drift, expose workers or other persons.
- Avoid release to the environment.
- Always follow the precautionary statements on the label of the active ingredient that is to be used with Capsil.
- Always consult the safety data sheet (SDS) for specific instructions.
- Applicators and other handlers must wear goggles or a facial splash shield; chemical resistant gloves, such as nitrile rubber \geq 14 mils or neoprene rubber \geq 14 mils; coveralls or long sleeved shirt and long pants; shoes plus socks.
- Dispose of contents/container in accordance with local regulation.
- Keep out of reach of children.

First aid measures in case of contact

Eye: Flush eye(s) for 15 minutes or more; if irritation persists, consult a physician (preferably an eye specialist) and show SDS.

Skin: Remove soiled or soaked clothing immediately. Wash off immediately with soap and water. Consult a physician if irritation persists.

- **Ingestion:** If swallowed, seek medical attention and show SDS.
- **Inhalation:** Remove individual from site of exposure to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.

Applicators and other handlers should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove protective clothing and equipment after handling. Wash the outside of gloves before removing. Wash thoroughly and change into clean clothing.

For technical information and Safety Data Sheet (SDS), contact Aquatrols at 1-800-257-7797 or visit our website at www.aquatrols.com.

Storage and Disposal

- Keep container tightly closed. Store in original container only. Keep in a secure and locked storage area. Do not add water to the contents of this container.
- Triple rinse container and pour rinsate into spray tank. Do not reuse container. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit www.acrcycle.org. Dispose of contents/container in accordance with local/national regulations.



1273 Imperial Way Paulsboro, NJ 08066 USA
1-800-257-7797 | aquatrols.com




PULL HERE
FOR MORE
INFORMATION

4/3/19