

Revision: 1.0 US Issuing Date: 9/28/2015 1

SECTION I: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product Identifier

Product Name: Leafshield

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use: Antitranspirant

1.3 Details of the supplier of the safety data sheet

Company: Aquatrols Corporation

1273 Imperial Way Paulsboro, NJ 08066

Website: <u>www.aquatrols.com</u>

Phone number: (856) 537-6003

Email: jyichye@aquatrols.com

1.4 Emergency telephone

Phone number: CHEMTEL - (800) 255-3924

CHEMTEL INTERNATIONAL- +1-813-248-0585

SECTION II: Hazards Identification

2.1 Classification of the substance or mixture:

Product description: Mixture

Classification according to 29 CFR 1910.1200

H318: Serious Eye Damage - Category 1

2.2 GHS Label Elements



In accordance to OSHA Standard 29 CFR 1910.1200



Hazard Pictogram:

Signal Word: DANGER

Hazard Statements: H318: Causes serious eye damage

Precautionary Statements

Prevention: P280: Wear eye protection/face protection

Response: P305 + P351 + P338 + P310

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately

call a POISON CENTER or doctor/physician.

Storage: Store locked up.

Disposal: Dispose of contents and container in accordance with all local, regional,

national and international regulations.

2.3 Other hazards which do not result in classification

None known

SECTION III: Composition/Information on Ingredients

3.1 Substance/mixture: Mixture

Chemical nature: Nonionic emulsion based on a modified paraffin wax

3.2 Hazardous ingredients

Chemical Name	CAS No.	GHS Classification	Concentration
4-Nonylphenol,	127087-87-0	Eye Dam. – H 318	5-6%
branched, ethoxylated			
Nonylphenol, branched,	68412-54-4	Eye Dam. – H 318	1-2%
ethoxylated			

There are no additional ingredients present which, within the current knowledge of the manufacturer and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.



In accordance to OSHA Standard 29 CFR 1910.1200

Revision: 1.0 US Issuing Date: 9/28/2015 3

SECTION IV: First Aid Measures

4.1 Description of first aid measures

General advice: Move out of dangerous area. Consult a physician. Show this

safety data sheet to the doctor in attendance. Do not leave

victim unattended.

Eye contact: Small amounts splashed into eyes can cause irreversible tissue

damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seed medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.

Inhalation: If unconscious, place in recovery position and seek medical

advice. If symptoms persist, call a physician.

Skin contact: Flush contaminated skin with plenty of water. Remove

contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes

thoroughly before reuses.

Ingestion: Clean mouth with water and drink afterwards plenty of water.

Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed:

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Note to physician: Treat symptomatically.

See toxicological information (Section 11)

SECTION V: Firefighting Measures

5.1 Extinguishing media



Revision: 1.0 US Issuing Date: 9/28/2015 4

Suitable extinguishing media:

Alcohol-resistant foam. Carbon dioxide (CO₂). Dry

chemical.

Unsuitable extinguishing media: No information available.

5.2 Special hazards arising from the substance or mixture

Do not allow run-off from firefighting to enter drains or water courses.

Hazardous decomposition products: Carbon oxides.

5.3 Advice for firefighters

Special protective equipment: Wear self-contained breather apparatus for

firefighting if necessary.

Further information: Collect contaminated fire extinguishing water

separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in

accordance with local regulations.

SECTION VI: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures.

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and materials for containment and cleanup



In accordance to OSHA Standard 29 CFR 1910.1200

Revision: 1.0 US Issuing Date: 9/28/2015

Spill: Soak up with absorbent materials (e.g. sand, silica gel,

acid binder, universal binder, sawdust). Keep in

suitable, closed containers for disposal.

6.4 Reference to other sections

See Section VII for Handling and Storage.

SECTION VII: Handling and Storage

7.1 Precautions for safe handling of the substance/mixture.

Protective measures: Put on appropriate personal protective equipment (see section

8 of SDS). Do no ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved

alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and

can be hazardous.

Advice on general occupational hygiene: Eating, drinking and smoking should be

prohibited in areas where this material is

handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also section 8 for additional

information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Recommended: Keep container tightly closed in a dry and well-ventilated place.

Electrical installations/working materials must comply with the

technological safety standards.

7.3 Specific end use(s)

See Section I

SECTION VIII: Exposure Controls/Personal Protection

General comments



Revision: 1.0 US Issuing Date: 9/28/2015 6

These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Assistance with selection, use and maintenance of worker protection equipment is generally available from equipment manufacturers.

8.1 Control parameters

Occupational exposure limits: None

Appropriate engineering controls: Use with local exhaust ventilation.

8.2 Exposure controls

Hygiene measures: When using, do not eat or drink. When using, do not

smoke. Wash hands before breaks and at the end of

the workday.

Eye/face protection: Eye wash bottle with pure water. Tightly fitting safety

goggles. Wear face-shield and protective suit for

abnormal processing problems.

Hand protection: Chemical-resistant, impervious gloves complying with

an approved standard should be worn at all times when

handling chemical products if a risk assessment

indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately

estimated.

Body protection: Impervious clothing. Personal protective equipment for

the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection: If handling heated or misted product in a poorly

ventilated area, wear a properly fitted respirator

(NIOSH) during exposure.

SECTION IX: Physical and Chemical Properties



In accordance to OSHA Standard 29 CFR 1910.1200

9.1 Information on basic physical and chemical properties

Physical state: Liquid

Color: Transparent

Odor: Mild

Odor threshold: Not available

pH: 9.5

Melting point: 0°C (32°F)

Boiling point: 100°C (212°F)

Flash point: Not applicable

Vapor pressure: 17.5 mmHg (77°F (25°C))

Vapor density: No data available

Lower and upper explosive limits: Lower-not available; Upper-not available

Relative density: Not available

Density: 1.00 g/mL (68°F (20°C))

Solubility: Not available

Solubility in water: Completely miscible

Partition coefficient (n-octanol/water): No data available

Auto ignition temperature: Not available **Decomposition temperature:** Not available

Viscosity: Dynamic-300 mPa/s ((77°F (25°C)); Kinematic-Not available

9.2 Other information

Not applicable

SECTION X: Stability and Reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

No decomposition if stored and applied as directed. Stable; polymerization will not occur.

10.3 Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions of avoid

No specific data.

10.5 Incompatible materials



Revision: 1.0 US Issuing Date: 9/28/2015 8

Strong oxidizing agents.

10.6 Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION XI: Toxicological Information

11.1 Information on toxicological effects

Acute toxicity:

Acute oral toxicity: Acute oral toxicity estimate - > 5,000 mg/kg

Method: Calculation method.

Conclusion/Summary: Not determined

Skin irritation/Corrosion

Conclusion/Summary: Not determined

Sensitization

Conclusion/Summary: Not determined

Carcinogenicity

IARC No component of this product present at levels greater than or equal to

0.1% is identified as probable, possible or confirmed human carcinogen

by IARC.

ACGIH No component of this product present at levels greater than or equal to

0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

OSHANo component of this product present at levels greater than or equal to

0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP No component of this product present at levels greater than or equal to

0.1% is identified as a known or anticipated carcinogen by NTP.

Repeated dose toxicity

Conclusion/Summary: No known chronic health effects

Symptoms related to the physical, chemical and toxicological characteristics



In accordance to OSHA Standard 29 CFR 1910.1200

Revision: 1.0 US Issuing Date: 9/28/2015 9

Eye contact: Contact will probably cause severe irritation and corrosion.

Inhalation: High concentrations of heated vapors may irritate the respiratory tract and

mucous membranes.

Skin contact: Contact may cause irritation.

Ingestion: Ingestion will probably cause irritation of the digestive tract.

SECTION XII: Ecological Information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

Soil/water partition coefficient (KOC): Not available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Regulation: 40 CFR Protection of Environment; Part 82 Protection of

Stratospheric Ozone - CAA Section 602 Class I

Substances.

Remarks: This product neither contains, nor was manufactured

with a Class I or Class II ODS as defined by the U.S. Clean Air Act. Section 602 (40 CFR 82, Subpt. A, App. A + B).

Additional ecological information: No data available.

SECTION XIII: Disposal Considerations

13.1 Waste treatment methods



In accordance to OSHA Standard 29 CFR 1910.1200

Revision: 1.0 US Issuing Date: 9/28/2015 10

Resource Conservation and Recovery Act: Not applicable

EPA Hazardous Waste Code(s): Not applicable

Waste form residues: Dispose of in accordance with applicable

local/municipal, state/provincial and federal

regulations.

Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with

chemical or used container.

Contaminated packaging: Empty remaining contents. Dispose of as

unused product. Do not re-use empty

containers.

SECTION XIV: Transport Information

In accordance with the provisions of ADR/RID/ADNR/IMDG/ICAO/IATA

14.1 UN Number

Not classified as dangerous

14.2 Shipping name UN Model

Not applicable

14.3 Transport hazard class

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Other information: No additional information available

14.6 Special precautions for use

No additional information available

14.6.1 Ground transport

No additional information available

14.6.2 Sea transport

No additional information available.

14.6.3 Air transport



Revision: 1.0 US | Issuing Date: 9/28/2015 | 11

No additional information available

14.7 Transport in bulk according to Annex II of Marpol 73/78 and IBC Code

Not applicable for this product as supplied.

SECTION XV: Regulatory Information

United States

EPCRA – Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a SARA 302 RQ.

SARA 311/312

Classification: Acute health hazard

SARA 302: No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313: This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

Non-volatile (w/w%): 30

US State Regulations

Massachusetts Right to Know: No components are subject to the Massachusetts Right to Know

Act.



In accordance to OSHA Standard 29 CFR 1910.1200

Revision: 1.0 US | Issuing Date: 9/28/2015 | 12

Pennsylvania Right to Know: Water: 7732-18-5

Wax:

Polyethylene wax:

4-Nonylphenol, branched, ethoxylated: 127087-87-0

New Jersey Right to Know: Water: 7732-18-5

Wax:

Polyethylene wax: -

4-Nonylphenol, branched, ethoxylated: 127087-87-0 Nonylphenol, branched, ethoxylated: 68412-54-4

<u>California Prop. 65:</u> This product does not contain any chemicals known to the State

of California to cause cancer, birth defects, or any other

reproductive harm.

The components of this product are reported on the following inventories:

TSCA: We certify that all of the components of this product are either

listed on the TSCA inventory or are not subject to the notification requirements per 40 CFR 729 30(h).

DSL: We certify that all of the components of this product are listed

on the DSL.

SECTION XVI: Other Information

History

Date of issue: 9/28/2015

Date of printing: 9/28/2015

Version: 1.0

Prepared by: Aquatrols Corporation

Abbreviations: ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and

Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of octanol/water partition coefficient



Revision: 1.0 US Issuing Date: 9/28/2015

MARPOL 73/78 = International Convention of the Prevention of Pollution from Ships, 1972 as modified by the Protocol of 1978

(MarPol = marine pollution)

RID = The Regulations concerning the International Carriage of

Dangerous Goods by Rail UN = United Nations

Notice to reader

Unless otherwise specified in section I, Aquatrols' products are intended for industrial application only. They are not intended for specific medical applications, neither for long-lasting (> 30 days) implantation into the human body, injected or directly ingested, nor for the manufacture of multiple usable contraceptives. Keep out of reach of children.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.